


B. Claims


The following is a complete listing of the claims, and replaces all earlier versions and listings.

1. (Currently Amended) A polyhydroxyalkanoate comprising at least a unit represented by a chemical formula (1) within a molecule:




wherein R represents $-\text{A}_1-\text{SO}_2\text{R}_1$; R_1 represents OH, a halogen atom, ONa, OK or OR_{1a} ; R_{1a} and A_1 each independently represents a group having a substituted or unsubstituted aliphatic hydrocarbon structure, a substituted or unsubstituted aromatic ring structure or a substituted or unsubstituted heterocyclic structure; m represents an integer selected from ~~0-8~~ 1-8; Z represents a linear or branched alkyl group, an aryl group or an aralkyl group substituted with an aryl group; and in case plural units are present, R, R_1 , R_{1a} , A_1 , m and Z ~~have the aforementioned meanings~~ are selected independently for each unit.

2. (Currently Amended) The polyhydroxyalkanoate according to claim 1, comprising, as the unit represented by the chemical formula (1), at least a unit represented by a chemical formula (2), a chemical formula (3), a chemical formula (4A) or (4B), within a molecule:



wherein R_2 represents OH, a halogen atom, ONa, OK or OR_{2a} ; R_{2a} represents a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group; A_2 represents a linear or branched alkylene group with 1 to 8 carbon atoms; m represents an integer selected from 0—8 1-8; Z_2 represents a linear or branched alkyl group, an aryl group or an aralkyl group substituted with an aryl group; and in case plural units are present, A_2 , R_2 , R_{2a} , m and Z_2 ~~have the aforementioned meanings~~ are selected independently for each unit;



wherein:

each of R_{3a} , R_{3b} , R_{3c} , R_{3d} and R_{3e} ~~each~~ independently represents SO_2R_{3f} (R_{3f} representing OH, a halogen atom, ONa, OK or OR_{3f1}) (R_{3f1} representing a linear or branched

alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group)), a hydrogen atom, a halogen atom, an alkyl group with 1 - 20 carbon atoms, an alkoxy group with 1 - 20 carbon atoms, an OH group, an NH₂ group, an NO₂ group, COOR_{3g} (~~R_{3g}~~ representing a H atom, a Na atom or a K atom), an acetamide group, an OPh group, a ~~an~~ NHPh group, a CF₃ group, a C₂F₅ group or a C₃F₇ group (~~Ph indicating a phenyl group~~), of which at least one is SO₂R_{3f};

m represents an integer selected from ~~0—8~~ 1-8; Z₃ represents a linear or branched alkyl group, an aryl group or an aralkyl group substituted with an aryl group; and


in case plural units are present, R_{3a}, R_{3b}, R_{3c}, R_{3d}, R_{3e}, R_{3f}, R_{3f1}, R_{3g}, m and Z₃ ~~have the aforementioned meanings~~ are selected independently for each unit,

where R_{3f} is OH, a halogen atom, ONa, OK or OR_{3f1};

R_{3f1} is a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group;

R_{3g} is H, Na or K; and

Ph is a phenyl group;



wherein:

each of R_{4a} , R_{4b} , R_{4c} , R_{4d} , R_{4e} , R_{4f} and R_{4g} ~~each~~ independently represents SO_2R_{4o} (R_{4o} representing OH, a halogen atom, ONa, OK or OR_{4o1} (R_{4o1} representing a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group)), a hydrogen atom, a halogen atom, an alkyl group with 1 - 20 carbon atoms, an alkoxy group with 1 - 20 carbon atoms, an OH group, an NH_2 group, an NO_2 group, $COOR_{4p}$ (R_{4p} representing a H atom, a Na atom or a K atom), an acetamide group, an OPh group, an NHPh group, a CF_3 group, a C_2F_5 group or a C_3F_7 group (~~Ph indicating a phenyl group~~), of which at least one is SO_2R_{4o} ;

m represents an integer selected from ~~0—8~~ 1-8;

Z_{4a} represents a linear or branched alkyl group, an aryl group or an aralkyl group substituted with an aryl group; and


in case plural units are present, R_{4a} , R_{4b} , R_{4c} , R_{4d} , R_{4e} , R_{4f} , R_{4g} , R_{4o} , R_{4o1} , R_{4p} , m and Z_{4a} ~~have the aforementioned meanings~~ are selected independently for each unit,

where R_{4o} is OH, a halogen atom, ONa, OK or OR_{4oi} ;

R_{4oi} is a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group;

R_{4p} is H, Na or K; and

Ph is a phenyl group;



wherein;

each of R_{4h} , R_{4i} , R_{4j} , R_{4k} , R_{4l} , R_{4m} and R_{4n} each independently represents SO_2R_{4o} (R_{4o} representing OH, a halogen atom, ONa, OK or OR_{4oi} (R_{4oi} representing a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group)), a hydrogen atom, a halogen atom, an alkyl group with 1 - 20 carbon atoms, an alkoxy group with 1 - 20 carbon atoms, an OH group, an NH_2 group, an NO_2 group, $COOR_{4p}$ (R_{4p} representing a H atom, a Na atom or a K atom), an acetamide group, an OPh group, an NPh group, a CF_3 group, a C_2F_5 group or a C_3F_7 group (Ph indicating a phenyl group), of which at least one is SO_2R_{4o} ;

m represents an integer selected from 0—8 1-8;

Z_{4b} represents a linear or branched alkyl group, an aryl group or an aralkyl group substituted with an aryl group; and

in case plural units are present, R_{4b}, R_{4i}, R_{4j}, R_{4k}, R_{4l}, R_{4m}, R_{4n}, R_{4o}, R_{4o1}, R_{4p}, m and Z_{4b} ~~have the aforementioned meanings~~ are selected independently for each unit,

where R_{4o} is OH, a halogen atom, ONa, OK or OR_{4o1};


R_{4o1} is a linear or branched alkyl group with 1 to 8 carbon atoms or a substituted or unsubstituted phenyl group; and

R_{4p} is H, Na or a K;

Ph is a phenyl group.

3. (Cancelled)

4. (Currently Amended) The polyhydroxyalkanoate according to claim 1, further comprising a unit represented by a chemical formula (6) within a molecule:




wherein R₆ represents a linear or branched alkylene with 1 - 11 carbon atoms, an alkyleneoxyalkylene group, (each each alkylene group being, independently, with 1 - 2 carbon atoms) atoms, or a linear or branched alkenyl group with 1 - 11 carbon atoms or an alkylidene group with 1—5 carbon atoms, which may be substituted with an aryl group; and in case plural units are present, R₆ ~~has the aforementioned meanings~~ is selected

independently for each unit.

5-8. (Cancelled)

9. (Currently Amended) The polyhydroxyalkanoate according to claim 2, further comprising a unit represented by a chemical formula (6) within a molecule:



wherein R_6 represents a linear or branched alkylene with 1 - 11 carbon atoms, an alkyleneoxyalkylene group (~~each, each~~ alkylene group being₁ independently₁ with 1 - 2 carbon ~~atoms~~ atoms), or a linear or branched alkenyl group with 1 - 11 carbon atoms ~~or an alkylidene group with 1 - 5 carbon atoms~~, which may be substituted with an aryl group; and in case plural units are present, R_6 ~~has the aforementioned meanings~~ is selected independently for each unit.

10. (Cancelled)